

Xpert BI 2.7.1.1

Import Source Metadata

- Fixed a bug in SAP metadata import so that constants are supported.

SOAP Collection

- Added support for Nullable types.

Master Data Load

- Fixed a bug that prevented empty member identifiers from being updated.

Migration Wizard

- Fixed a bug so that a new REST Collection can be migrated.

Xpert BI 2.7.1.0

General

- Added support for having the database stack on an Azure SQL Database Managed Instance.
- Added IFS metadata adapter.
- Changed the character limit for visible text in description columns to max.
- Fixed a bug where Xpert BI could crash during start-up.
- Fixed a bug where solution explorer would refresh during installation of solution modules when creating a new stack or upgrading, which could cause a crash.
- Fixed a bug that caused an exception when trying to process two inline tables with the same name in different databases.

Publish to SSAS Tabular

- Added functionality to not autogenerate measure for a column.
- Added functionality to re-create previously removed measure.
- Added functionality to hide/unhide columns.
- Changed it so that relationships (in fact table dependencies) from and to the same object are ignored when creating Tabular relationships.
- Changed it so that table partitions are skipped in the merging process if the target table already has a partition.
- Fixed a bug where Xpert BI generated measures with measure names that already existed in the model.
- Fixed a bug where using objects from additional databases with names not ending in their abbreviation would cause an exception.

Document SSAS OLAP Project

- Added functionality to edit the project path.

- Changed it so that calculated member IDs are based on the member name instead of the ordinal position.

Document SSAS Tabular project

- Added functionality to edit the project path.

Create ITS Table

- Fixed a bug where clicking Execute before saving could cause an exception.

Migration Wizard

- Added a check to see if the names/ids of data sources and collections are in sync between source and target.
- Added reminders on items that might need to be manually updated/checked after the migration.
- Fixed a bug where self-referencing objects caused an infinite spinner.
- Fixed a bug where objects in new process groups or objects in databases not already used by existing process groups were included in the migration script when they should not be.
- Fixed a bug where objects in additional databases were sometimes falsely included in the migration script.

Master Data Load

- Added an error message if the source object columns do not match the target entity attributes.
- Added handling for deleting entity members with domain-based attribute relationships to it.
- Changed it so that validation errors are logged as warnings (instead of errors) and does not cause the data load to report error.
- Fixed a bug where data loads to an entity with only name and code column caused an exception.
- Fixed a bug where domain-based attributes were not always properly loaded.
- Fixed a bug where entities were not properly matched when updating data.

Master Data Subscription View

- Changed it so that "Truncate Before Update" is turned on when Extraction configuration is auto-generated.

Export Groups

- Added new export group type: Export to Azure Data Lake.
- Added header and footer to CSV export group.
- Added delimiter and quote options to CSV export group.
- Added support for Azure SQL Data Warehouse as a database target.

XBI_batch.exe

- Added quotes around table name source when copying exe parameters for a single extraction table.
- Added functionality to support extraction of multiple tables using a comma separated list of table name source.
- Added information of the current task in the XBI_batch.exe console window.
- Changed it so that trying to run extraction on a single table that does not exist will return an error.
- Changed so that processing a Process Group that does not exist will now generate an error message in the log.

XML Collection

- Added functionality to include the file name in a column.
- Fixed a bug in Analyse Data Length where new columns in input file(s) not present in metadata would cause an exception.
- Changed the check for autogenerated column names when using the “include all xml tables” functionality to be more robust.

Flat File Collection

- Added file extension filter. Only valid files are now processed.
- Fixed a bug where ‘path not found’ was not logged in Event Log.

REST Collection

- Added support for SAP SuccessFactors API.
- Added better logging when a REST API call fails.
- Added functionality so that the user will get a popup with an option to skip the SOAP/REST call for a single execution if the input/preProcessInput folder already contains files (only applicable when processing from the ribbon bar).
- Fixed a bug that caused the file(s) to always be saved in the input folder when invoking an API manually.

SOAP Collection

- Added functionality so that the user will get a popup with an option to skip the SOAP/REST call for a single execution if the input/preProcessInput folder already contains files (only applicable when processing from the ribbon bar).
- Fixed a bug that caused the file(s) to always be saved in the input folder when invoking an API manually.

XBI_collection.exe

- Added information of the current task in the XBI_collection.exe console window.

Solution Explorer

- Changed the reloading so that checking if an object is a history table basis object is faster.

Server Explorer

- Added a delay between keypresses and searching in the search text box.
- Changed the icons on the different collection table types and made the folder icon dynamic depending on the type of the children.

Object Dependency

- Changed close button in details view to always be visible.

Publish to REST API

- Fixed a bug where the filtering view for object name and database was not properly reset when changing between APIs.

Event Log

- Fixed a bug in the event log that made the filter show wrong for instance and version.

Transformation Processing

- Fixed a bug where starting two processing jobs at the same time could cause errors.

Analyse Data Source

- Added 'ODS Size' information to TableInformation.
- Changed TableRowCounts to TableInformation.

Additional Databases

- Added a description field.

Edit Metadata

- Changed it so that clicking a checkbox outside a selection will de-select the current selection.
- Fixed a bug where activating/deactivating a table/column multiple times in a row could lead to wrong name being used.

Reports

- Added report that shows all objects/executables included in a process group.
- Added "Run Collisions" report.

Xpert BI 2.6.3.7

Document SSAS Tabular project

- Fixed a bug so that added and deleted tables will be imported when refreshing metadata.

Xpert BI 2.6.3.6

General

- Added functionality to import, document and manage SSAS OLAP project metadata.
- Added functionality to import, document and manage SSAS Tabular project metadata.
- Added functionality to export data to: Database, CSV, REST. The Export Groups is located in the Publication pane.
- Added support for WELS Operator in the REST Web Service Collection Module.
- Changed and standardized windows for adding data source, version and new instance.

Collection

- Added support for Box.com REST API.
- Added functionality for copying a Collection.
- Added check for unsaved changes before processing an open collection pane.
- Fixed a bug where _TOTAL table remains when using truncate before update and there are no files in Input folder.

Flat File Collection

- Added possibility to remove old succeeded files before processing new files
- Added sorting for columns: "Is Primary Key", "Allows Nulls" and "Include Columns"
- Fixed a bug where Excel files with uppercase file endings were not correctly recognised as Excel files.
- Changed it so that missing fields are replaced with null values (for CSV files).
- Fixed a bug where pressing "Import Columns" button without a Config File Path value would throw an error message

XML Collection

- Added better error handling when transforming XML files.
- Added support for missing columns in input file.
- Added possibility to remove old succeeded files before processing new files.

SOAP Collection

- Fixed a bug where the input parameters did not show when editing an existing SOAP collection.

Edit metadata

- Changed so that it is possible to multiselect table/columns when activating/deactivating.

Set Table Filters

- Changed it so that the OK button is always enabled and only checks syntax when the check syntax button is clicked.
- Changed it so that the syntax check informs that it checks for valid T-SQL.
- Fixed a bug where spaces in the source table name would lead to invalid syntax in source selection.

Publish to SSAS Tabular

- Changed from decimal to double when converting float/real/decimal/numeric SQL datatypes to Tabular data types.
- Changed it so that existing tables are better recognised when publishing to an existing model.
- Changed it so that relationships from or to deleted columns are also deleted.
- Fixed a bug where publishing to a model with calculated columns caused an exception.

Solution Explorer

- Added warning if Solution Explorer has not been refreshed for 7 days.
- Changed searching to improve performance:
 - o Can now right click a top level item and select "Search From Here". This appends item name to search filter and limits searching to this database only (keyboard shortcut CTRL+F can also be used instead of selecting from menu)
 - o Added 300 ms delay period from last keypress to start the search
 - o Search will only be performed if search field contains minimum two characters
- Fixed bug where reloading solution explorer does not work in certain states
- Fixed a bug where selecting "Properties" in right-click menu (in top level node) caused an error message

Configure Xpert BI dB

- Added better error handling.

Dependency Graph

- Added better error handling when loading dependencies.
- Added MDS Entities loaded from a MDS Data Load to the dependency graph.
- Added column description to View Details. Note that this is not included in the Migration Wizard.
- Changed Code Mode to View Details.
- Changed Edit Description to View Details.
- Changed the loading of dependencies to improve performance.

Master Data Entity

- Added a blank row in the code column dropdown, so the user can choose to have no code column.
- Fixed a bug where the data length was not properly set for data length max.
- Fixed a bug that made it impossible to update the text length using the Length field.

- Fixed a bug where unchecking Autogenerate Code Values was not saved properly.

Master Data Load

- Added Data Load name when logging errors.
- Added support for data loads to entities with no set code column.
- Added functionality to support automatic approval of loaded data.
- Added sorting for Edit Data Load Settings: “Table Name”, “Update Only If Changed”, “Truncate Before Update”, “Insert Only” and “Skip Duplicates” columns.
- Changed the loading to support updating of entity member names.
- Changed the loading to better support SCD Type 2 subscription views. This also removes the Import Type option.
- Fixed a bug where NULL values in the code column could lead to an exception.
- Fixed a bug where editing an entity with the data load pane open could lead to processing with old entity settings.

Migration Wizard

- Added object column descriptions to the migration.
- Added Tabular projects to the migration.
- Added OLAP projects to the migration.
- Added Export Groups to the migration.
- Added REST APIs (published APIs) to the migration.
- Changed the Management Database Migration (page 2) to an expandable/collapsible hierarchy instead of a list.
- Changed and optimised the script generation algorithms so that the Migrate Database Stack (page 3) performs better.
- Fixed a bug where the corrective script window in the consistency check was hidden behind the consistency check window.

XBI_batch.exe

- Added an optional parameter SmartProcessing (only applicable for Process Groups). See User Manual for more information.

Reports

- Added ObjectsOnlyInAllGroup report
- Added right-click shortcut to open dependency graph for valid report objects
- Added MdsSourceObjects report

Options

- Added “Auto Refresh Solution Explorer” to miscellaneous.

License

- Removed “License Information” option from Home->Options tab.

- Changed License window to display more information about the current active license (Transformation Module, Master Data Module, Metadata Adapters and Collection Types) .

List UDFs

- Added sorting for columns: "Name" and "Return Data Type" columns.

Edit Tracking/Changing

- Added sorting for "Table Name" column.

Event Log

- Added sorting for "Version" and "Instance" column.

Xpert BI 2.6.1.0

General

- Added the Master Data module (licensed).

Rest Collection

- Added support for parameterising the URL.

SOAP Collection

- Added Bloomberg SOAP Service adapter (licensed).
- Added support for array parameters.

Analysis Models

- Added SSAS Tabular mode

Reports

- Added a new report which shows objects that are used by multiple process groups.

Collection

- Fixed a bug where the folder structure could be created even if the table name was already used in the destination database.
- Changed it so that excluded columns are ignored when analysing data lengths.
- Changed it so that existing temp tables are dropped when a collection table is run.
- Changed it so that the "Allow PK Null" and "Automatic PK" checkboxes are mutually exclusive.

Flat File Collection

- Fixed a bug where excluded columns were still used when merging multiple Excel sheets together.
- Changed it so that empty files are handled better.
- Added functionality to include the file name in a column.

Fact Table Dependencies

- Fixed a bug where saving changes when changing between fact tables could lead to dependencies being reset.

Import Source Metadata

- Added Object Type column in the Available Tables grid for data sources which can import metadata for both tables and views.

Dependency Graph

- Fixed a bug where reloading the Dependency Graph while a deleted object was in focus caused an exception.
- Changed it so that self-referencing objects are not detected as a loop. When this happens a warning is logged.
- Added Code Mode.

Set Table Filters

- Changed it so that tables which are disabled in Edit Metadata will not show in the list.

Migration Wizard

- Fixed a bug where different casing on additional databases in source and target could lead to false positives on the "missing database in target" check.
- Added support for migrating SOAP and REST Web Service Collections.

Tracking/Changing

- Changed it so that it is possible to copy the exe parameters for a single tracking/changing type instead of all.
- Added functionality to execute the tracking/changing types from the GUI.
- Added option to change initial date behaviour on changing table and changing column.

Edit Metadata

- Fixed a bug where changing any of the dropdown boxes on the filter settings would cause an exception.

Xpert BI 2.5.0.2

General

- Added the SAP RFC Collection Module (licensed).
- Added the SOAP Web Service Collection Module (licensed).
- Added the REST Web Service Collection Module (licensed).
- Added the Publication module, with functionality to publish REST APIs.
- Updated the operations for deleting old logs to minimise the chance of a sql server deadlock when running several .exe files at the same time.
- Added support for NEMS Panorama in the REST Web Service Collection Module.
- Fixed a bug where wrong server name was used in connection string parameter for some modules.

Migration Wizard

- Fixed a bug where migrating a process group with more than 1000 objects would cause an error.

- Fixed a bug where migrating an inlined view would cause an error if the target contained a table with the same name as the view (without the "_Inline" suffix).
- Fixed a bug where migrating a new process group could lead to errors in existing inline objects in target.
- Fixed a bug where critical inconsistencies detected in ODS leads to consistency check for collection not being run.
- Fixed a bug where migrating a process group that is empty in source could lead to warning about deleted objects not being shown.
- Added a warning on missing databases in target if Solution Settings (on page 2) has not been migrated and new databases has been added in source.
- Changed the condition for skipping the pre-compare tests (invalid objects etc.) on page 3 to skip if there are only delete-process group changes being migrated.
- Added guard to ObjectAllMappingTable_Temp table.
- Fixed a bug where object name sometimes would be blank in the deleted objects warning window.
- Fixed a bug where migrating from table T and inline view T_Inline to table T could lead to missing delete statement for view T_Inline.
- Added a warning when migrating table changes that can cause data loss.
- Fixed a bug where it was possible to go to page three of the wizard, without a correct connection.
- Added a warning on possible unsupported table changes.

Collection

- Changed so that the timeout is used for all queries executed against the collection database.
- Added functionality to automatically generate a Primary Key.
- Added functionality to exclude columns for XML Collection.
- Added Collection Type to the Properties pane.
- Added functionality to allow null values in the Primary Key.
- Fixed a bug where a collection folder structure was created on the collection TopLevelNodePath when the table name was empty.
- Fixed a bug to avoid an exception when reloading the pane before the collection is saved.
- Fixed a bug so that when using Process Data from the ribbon it is the Collection pane in focus that will be processed, not the Collection selected in the Data Source Explorer tree.
- Added Collection ID and Collection Table ID to the Properties pane.
- Fixed a bug to avoid an exception when opening a XML collection where the XSD config file does not exist.
- Changed it so that temporary Excel files (beginning with ~\$) is skipped when processing.
- Added functionality to include all XML tables from an XSD file, instead of selecting only one table.

Dependency Graph

- Fixed a bug where changing the casing on objects could make them show as External Objects in the dependency graph.

- Changed the "Not part of any fact table structures" warning, to a "Not part of any process group structures" warning.

Data Source Explorer

- Changed it so that the icons under Configuration change if a connection is set.
- Changed it so that Collection folders and tables are sorted by name.

Import Source Metadata

- Changed it so that metadata for views are included in the import when the source is SQL Server.
- Fixed a bug where comments were overwritten for tables, columns and relations when re-importing metadata for existing tables.
- Fixed a bug where importing metadata from Oracle failed when the schema/user had access to multiple schemas which included identical table name/column name.

Tracking/Changing

- Fixed a bug where tracking changes on uniqueidentifier columns caused errors.
- Changed the Tracking/Changing namings.

Configure Relations

- Added better error handling when disabling unused relations.

Query Source Data

- Fixed a bug where the query was formatted incorrectly for iSeries Access ODBC data sources if XBI Exported Metadata was selected as source in Import Source Metadata.

Analysis Models

- Moved the Analysis Models button to the new Publication pane.

Popup Windows

- Changed it so that the popup windows appear on top of all other windows.
- Added more keyboard shortcuts.

Analyse Data Source

- Fixed a bug where database schemas set on instance level were ignored.

Edit Metadata

- Fixed a bug so that the "Deactivate Columns" action will use the "Other Command Timeout" when finding single-valued columns.

Process Groups

- Changed the Solution objects list so that it only contains Fact or Top-Level objects.

- Added an Included objects list, which contains the objects included in the selected process group.
- Added Add and Delete/Remove buttons, instead of checkboxes, to select which objects are included in a process group.

Report

- Changed the unused objects report so that it now shows objects that are not part of any process group structures.

Edit Data Load Settings

- Added sorting and filtering to the Table Name column.

Configure Relations

- Fixed a bug where the pane could be marked as changed after saving.
- Fixed a bug which could lead to an exception after saving an edited comment.

Xpert BI 2.4.0.1

Set Table Filters

- Changed so that the timestamp (rowversion) type can be used as incremental value.

Xpert BI 2.4.0.0

General

- Added the Migrate Environment Module.
- Added the "Analysis Models" module.
- Added functionality to create historical snapshot tables.
- Added functionality to include related tables when extracting.
- Changed the InstallShield setup so that an existing installed Xpert BI version can be updated without uninstalling it.
- Changed the InstallShield setup so that it adds Everyone Full Control NTFS permissions to the install folder.
- Fixed a bug where closing confirmation dialogs could lead to unexpected behaviour.

Collection

- Changed so that when a new collection table is created it receives focus.
- Changed so that when importing columns on an already existing configuration, Xpert BI will try to preserve column information (primary key, data length etc.) by matching on column names.
- Changed so that the temp table is not deleted when an error occurs during processing.
- Changed so that access denied errors for the Input and PreProcessInput folders are logged to the event log, not the emergency log.
- Changed so that when a collection folder or table is deleted, the associated edit pane is closed if it is open.
- Changed so that the Header Row can be set to 0 to load files without headers.
- Fixed a bug where right-clicking directly on a collection table to edit it could lead to an exception when trying to process afterwards.
- Fixed a bug where editing a collection, opening a different pane, returning to the edit collection pane to process or copy exe parameters could lead to an exception.

Flat File Collection

- Added support for specifying the last row to read (CSV files).

Edit Metadata

- Added functionality to activate/deactivate a table or column using a checkbox.
- Added functionality to find and deactivate single-valued columns.
- Changed so that right-clicking a table or column changes focus to the selected item.
- Changed so that duplicate suggested column names are automatically handled by appending the column name source to make it unique.

Dependency Graph

- Added functionality to show only derived dependencies.
- Changed so that the graph shows all parent levels when focus is on a programmable object.
- Changed so that a node with 'i' icon shows description and post process if available.
- Changed Show Derived Dependencies menu item into a sub-menu.

Processing

- Changed so that the data validation and loading of executable starts immediately when opening a process pane.
- Fixed a bug where Truncate Before Update would run before the staging data validation (create primary key), which would lead to empty ODS table if the source contained duplicate rows.

Data Source Explorer

- Added a search/filter field to the data source explorer.

Configure Relations

- Added a comment field to the relations.

- Added functionality to disable unused relations.
- Fixed a bug where the change asterisk would remain after a Reload.
- Fixed a bug where some old data would remain after a Reload.

Edit Data Load Settings

- Added a new load setting for skipping duplicate records.

ITS Table

- Added support for post process scripts.
- Changed the error message when trying to inline views containing union on top level.
- Fixed a bug where an open ITS pane would not close when the related ITS table was deleted.

Global Filters

- Changed so that the operator is user selectable, instead of being hard-coded to an equal sign.
- Changed so that the exclude filter checkboxes only has two states.

XBI_batch.exe

- Added support for windowed loads on single tables.

Import Metadata

- Added option to not include primary keys.
- Changed so that settings (include relations and include primary key) are saved when clicking save.

Reports

- Added PostProcess column to Executable Objects report.

Set Table Filters

- Fixed a bug where using a time (SQL datatype) column in a source selection could lead to a conversion error.

Process Groups

- Redesigned Process Groups. Any object can now be included in a process group.

Analyse Data Source

- Fixed a bug where using non-default schema could lead to an error.
- Fixed a bug where using a table-level connection string could lead to an error.

Solution Explorer

- Fixed a bug where some of the context menu icons were misplaced.

Xpert BI 2.3.0.8

General

- Changed the deploy framework from ClickOnce to InstallShield.
- Added the Service Name parameter to all Oracle connection dialog boxes.
- Added the possibility to set username/password for ODBC connection.
- Added DB2 iSeries metadata and data connection options through the iSeries Access ODBC driver.
- Added Analyse Data Source, with functionality to find table row counts and table column lengths.

Collection

- Fixed a bug so that it is possible to use the "Copy Exe Param." button and the "Process Data" button from the Collection Ribbon menu.
- Changed so that the cursor focus for "Add Collection", "Add Table Source Flat File", and "Add Table Source XML" is set to the top textbox element.

Flat File Collection

- Added support for reading Excel files with several worksheets
- Added support for specifying the header row.
- Added support for copying the input file instead of moving it when data is processed.
- Added support for specifying which columns in a file should be included.
- Fixed a bug so that the vertical scrollbar works.
- Added support for specifying the last row to read (Excel only).
- Changed so that editing the Top Level Node Path creates the Collection folder structure on the new path.

XML Collection

- Fixed a bug so that the vertical scrollbar works.

Solution Explorer

- Changed so that deleted items are removed from the Solution Explorer without having to refresh it.
- Fixed a bug to avoid a 'reference not set to an instance of an object' error that could happen when accessing an environment via RDP where Xpert BI was already opened.

Edit Connection Window

- Fixed a bug so that the username and password are always user editable when not using integrated security.

Import Source Metadata

- Changed so that filters on Available Tables list is reset when changing database.

Edit Metadata

- Added a "Comment" field to both tables and columns.
- Changed the column ordering for the column view.

Set Global Filters

- Fixed a bug so that a change asterisk is no longer triggered on any keypress from anywhere.

Set Incremental Filters

- Changed so that the load and response time was improved.
- Fixed a bug so that the sort functionality for the Name column works correctly.

Process Groups

- Fixed a bug so that the script order of the non-view objects are correct.
- Fixed a bug so that the group name is logged when processing data, and can later be viewed in the EventLog General pane.
- Changed so that the Delete Group button is located in the rightmost column.

ITS Table

- Fixed a bug so that the "Check Validity" action will use the "Other Command Timeout" when checking the validity of the inline view.
- Fixed a bug so that the object name is logged when processing data, and can later be viewed in the EventLog General pane.

Dependency Graph

- Added support for different types of tree layouts.

Dependency Loops

- Changed the colour of the arrow marking a derived dependency to be orange.

Reports

- Added functionality to export reports to Excel files.
- Added Incremental Objects report.

Processing

- Added a "Do you want to process"-dialog window.
- Added error logging that can be picked up by SSIS or SQL Server Agent jobs.

- Added functionality to kill running SQL requests when stopping an ongoing processing task.

XBI_batch.exe

- Added an optional parameter ForceFullLoad, which forces a full load even when it is configured as incremental.

Xpert BI 2.2.3.0

General

- Added the “Dependency Loops” pane to the Transformation ribbon tab.
- Added the “Reports” pane to the Administration ribbon tab.
- Changed the splash screen so that it does not disappear before the application has fully loaded.
- Added support for an upper case version of the Xpert BI database stack. See the user manual for more information.
- Added the XML Collection module.

Import Source Metadata

- Added a “Connection source” section where the connection can be pointed to the XBI exported metadata database.
- Fixed a bug so that a table which is deleted and then re-added without saving in-between is NOT deleted when doing the final save.

Define Global Filters

- Fixed a bug so that when more than eight tables are listed in “Exists in” list, the last table is not hidden.

Set Table Filters

- Fixed a bug so that the default value for a date and a datetime is set correctly in the Source Selection Expression Builder.

Edit Tracking/Changing

- Fixed a bug so that tracking snapshot (TS) works correctly when an Id is removed from the tracked table.

Data processor

- Added better error logging for pre-processing and post-processing problems.

Process Groups

- Changed so that the user is not allowed to use the “Copy Migrations Script” if there is a loop in the object dependencies.

Dependency Graph

- Changed the Edit Description to automatically save the object description after the user clicks 'OK' in the description dialog box.

Solution Explorer

- Changed the "Reload solution explorer" to be a full reload and optimised the algorithms to make it run faster. Removed the "Full Reload of solution explorer" button.

Flat File Collection

- Added support for reading Excel files. See the user manual for more information.
- Added a Config folder to the folder structure where the template/config file used for setting up the data import can be located.

XBI_batch.exe

- Added an optional parameter MaxThreads for setting the maximum number of threads that should be used when processing data.

Xpert BI 2.2.2.0

General

- Changed the install module so that updating the C:\ProgramData\BI_Builders is done in a more robust way.
- Updated Telerik GUI components to the latest available release. This fixed problems for running on Microsoft Windows Server 2012 R2

Import Source Metadata

- Fixed a bug so that the command timeout is used when importing metadata to prevent possible timeouts.
- Fixed a bug so that any changes to Primary Keys in SAP metadata are imported correctly.

Process Groups

- Fixed a bug to avoid problems when deleting a fact table which is included in a process group. A deleted fact table which is still included in a process group is now marked with a warning icon.

Fact Table Dependencies

- Added functionality so that Bridge tables used for resolving Many-to-Many relationships are supported.

Xpert BI 2.2.1.0

General

- Fixed a bug so that the tables under Operation are always sorted by source name.
- Compresses the tree view display slightly in the “Data Source Explorer” and the “Solution Explorer” to make room for more objects.
- Added support for username and password when connection to a management database.
- Added the “Manage Modules” pane to the Administration ribbon tab.
- Added the “Check Source Metadata” pane to Configuration ribbon tab and Instance Table context menu.

Collection

- Added the “Edit Collection” menu selection to make it possible to edit the top level Collection.
- Added Allow Nulls property for the destination table setup.

Edit Metadata

- Added confirmation dialogs for “Use Source” and “Use Suggested”.

Dependency Graph

- Added functionality for displaying a specific number of levels in the graph.
- Added functionality for not displaying repeated structures.

Properties

- Changed the Connection String property so that it must be set through the connection dialog box if it is blank.

Solution Explorer

- Added a search box to the toolbar that filters the tree view.

XBI_batch.exe

- Fixed a bug in XBI_batch.exe to prevent a possible problem when starting several XBI_batch.exe files at the exact same time.
- Fixed a bug so that the error code 5 is returned when the processing is stopped because of missing heartbeats (for 5 days)
- Updated so that the return code is set correctly if the processing fails

XBI_collection.exe

- Fixed a bug in XBI_collection.exe to prevent a possible problem when starting several XBI_collection.exe files at the exact same time.
- Fixed a bug so that the error code 5 is returned when the processing is stopped because of missing heartbeats (for 5 days)

Edit Tracking/Changing

- Fixed a bug with “Edit Tracking/Changing” menu. When two instances were defined using the same version, it was impossible to open both instance tables at the same time.

Import Source Metadata

- Added columns “Suggested Table Name” and “Description” to Available tables and Imported metadata tables grid views.
- Added “Kit filter” dropdown. Filters the available tables grid view based on selected kit. Only relevant for application specific metadata modules.
- Added import setting “Include Relations”. When unchecked, only import table and column metadata is imported.
- All grid view columns are filterable.

Xpert BI 2.1.0.3

General

- Added the "Set Incremental Filters" pane to the Transformation ribbon tab.
- Added the Flat File Collection module (controlled by the license file).
- Added DB2 metadata and data connection options.
- Object Explorer was renamed to Solution Explorer.
- Changed the SQL parser module to make it more robust.
- Removed unnecessary time dimension update at startup.
- Added CTRL-C functionality to all grid views.

Edit Metadata

- Changed the rule for required column. Foreign key columns where the referenced table is not imported are no longer required.

Query Source Data

- Fixed a bug to prevent a column to be listed several times in the select statement (when several instances of the same data source version are defined)

Edit Tracking/Changing

- Fixed a bug to allow for NULL values in the tracked column.

Data Processor

- Fixed a bug to avoid a race condition that could lead to missing role names in the surrogate foreign key column when processing data.

Properties

- Added the VersionId property to the Source Definition Datasource Version level.
- Added the AllowPKNnull property to the Configuration Instance level.
- Added the TablePrefix property to the Configuration Instance and Operation Instance levels.
- Removed the Type property from all levels.

License Validator

- Fixed a bug which made the application do excessive logging if the license expired while the application was running.

Solution Explorer (Object Explorer)

- Fixed a bug so that when selecting "Create ITS Table" or "Delete ITS Table" the context menu for the view is updated correctly to include/exclude the "Execute Object" menu item.

Process Groups

- Added a "Create Migration Script" button on each Process Group row.

Dependency Graph

- Fixed a bug so that functions used by stored procedures are included correctly in the dependency graph

Options

- Changed "Update Time Dimension" on the Miscellaneous pane so that it is faster.

Configure Xpert BI dB

- Changed to make it illegal to downgrade a management database.

Xpert BI 2.0.1.56

General

- Added the Configure Relations pane.
- Added the Edit Data Load Settings pane. The Table Processing Priority was moved from Properties to this new pane.
- Replaced the Upgrade dB Window with the Configure XpertBI dB Window. The current and the target dB versions were added to the Configure XpertBI dB Window.
- Added "Remove Foreign Keys" to Operation.

Import Source Metadata

- Added support for Oracle, SAP, and Siebel-Sql.
- Added support for Schema.
- Added Metadata Version filter.
- Optimized the import of metadata to make it faster.
- Added "Imported Only" checkbox.
- Fixed a bug that caused tables to get deleted when re-importing source metadata in certain cases.

Edit Metadata

- Changed the "Suggested Table Name" column and the "Suggested Column Name" column from Read Only to Read/Write.

Data Processor

- Added error handling for dependency loops.

Set Table Filters

- Added a new column named Table Name, renamed an existing column from Table to Table Name Source.

Options

- Added a "Copy Batch Files" button to the Miscellaneous pane.

Object Explorer

- Added functionality for executing an object from the tree view menu

Xpert BI 2.0.1.25

General

- Added functionality so that the management database can be located remotely.
- Added Server name to the “Upgrade XpertBI dB” window.
- Changed the install module so that updating the C:\ProgramData\BI_Builders is done in a more robust way.

Configure Xpert BI dB

- Fixed a bug to avoid a possible race condition when doing a clean install without any existing management databases.

Edit Connection

- Added ODBC support.

Data Processor

- Changed the way “max number of threads when processing data” works so that the number of data processing threads will not be influenced by the number of other threads in the application.

Dependency Graph

- Added “Copy Exe Parameters Object” and “Copy Exe Parameters Tree” to the graph object context menu.

Edit Metadata

- Changed so that it is not allowed to give two tables the same name (an error message will be given and the names will not be saved).

Options

- Changed Time Dimension Range – End so that it is including the specified year (instead of excluding the end year).

XBI_batch.exe

- Fixed a bug in XBI_batch.exe so that loading data from SAP works correctly.
- Added support for processing a single object and for processing a complete tree/structure.
- Added more exception logging.

Object Explorer

- Added a “Copy SQL statement to clipboard” for the Full Reload which provides arguments that can be used when scheduling the SPROC separately.

Xpert BI 2.0.1.14

General

- Changed all sql commands so that a generic timeout (Home->Options->Miscellaneous) is used. The data processor still uses a separate timeout.

Options

- Fixed a bug so that "Update Time Dimension" works correctly.

Export Metadata Database

- Changed "Export Metadata Database" so that a warning dialog box is shown if there are any problems with the export.

Management Database

- Changed some stored procedures to make the Transformation modules more robust.

Xpert BI 2.0.1.0

General

- Added the Transformation module. The activation of the Transformation module is controlled by the license file.
- Changed from .Net 4.0 to .Net 4.5
- Updated Telerik GUI components to the latest available release.

Solution Explorer

- Changed the name of the Solution Explorer to Data Source Explorer
- Removed the Delete button from the Solution Explorer

Options

- Added the Miscellaneous pane where the "Other Command Timeout" and the "Time Dimension Range" can be set.

Configure Xpert BI dB

- Changed the Configure Xpert BI dB dialog box so that it has only one view instead of three views.
- Added functionality so that the selected server and database will be filled out when re-opening the dialog box.
- Added functionality so that the available management databases are selectable from a dropdown box.

Import Source Metadata

- Removed the Schema filter from the GUI.

Edit Metadata

- Fixed a bug so that it is possible to copy table and column names when they are scrolled out of view after being selected.

Data processor

- Fixed a bug related to processing data from Oracle by updating the Devart UniConnector to the latest available release.
- Changed the data processor to optimize the data processing (speed and memory use)